COMP 141

CS1: Programming Fundamentals Python language, output, variables



Designing a Program

- · Programs must be designed before they are written
- Program development cycle:
 - Design the program
 - Write the code
 - Correct syntax errors
 - Test the program
 - Correct logic errors



Designing a Program

- Design is the most important part of the program development cycle
- · Understand the task that the program is to perform
 - Work with customer to get a sense what the program is supposed to do
 - Ask questions about program details
 - Create one or more software requirements



Designing a Program

- Determine the steps that must be taken to perform the task
 - Break down required task into a series of steps
 - Create an algorithm, listing logical steps that must be taken
- Algorithm: set of well-defined logical steps that must be taken to perform a task



Pseudocode


- Pseudocode: fake code
 - Informal language that has no syntax rule
 - Not meant to be compiled or executed
 - Used to create model program
 - No need to worry about syntax errors, can focus on program's design
 - Can be translated directly into actual code in any programming language



Write an Algorithm

 Work in groups of 3-4 and write down an algorithm for making a peanut butter and jelly sandwich





Input, Processing, and Output

- Typically, computer performs three-step process
 - Step 1: Receive input
 - Input: any data that the program receives while it is running

Step 2: Perform some process on the input $% \left(1\right) =\left(1\right) \left(1$

• Example: mathematical calculation

Step 3: Produce output



Displaying Output with the print Function

- <u>Function</u>: piece of prewritten code that performs an operation
- Argument: data given to a function
- Statements in a program execute in the order that they appear
 - From top to bottom
- Example:



Strings and String Literals

- String: sequence of characters that is used as data
- <u>String literal</u>: string that appears in actual code of a program
 - Must be enclosed in single (') or double (") quote marks
 - String literal can be enclosed in triple quotes ("" or """")
 - Enclosed string can contain both single and double quotes and can have multiple lines



Quick Demo



Activity

- Open IDLE
 - Start -> All Programs -> Python 3.5 -> IDLE (Python GUI)
 - If you want to save this file for later use, in IDLE, go to File -> New Window and then Save that new file
 - Don't save it under Python 3.5, save it on your shared drive space or box.com space!
 - To run your programs, go to Run -> Run Module (or hit the F5 key on your keyboard)
 - If you don't want to save the file, you can type the following statements using interactive IDLE mode
- Write a statement that displays your name.
- · Write a statement that displays "I am 100 years old!"
- Write a statement that displays the value of multiplying 322 * 35.



Comments

- · Comments: notes of explanation within a program
 - Ignored by Python interpreter
 - Intended for a person reading the program's code
 - Begin with a # character



Code with Comments

```
# Catie Welsh
# COMP 141
# This program display's a person's
# name and address.

print("Jane Doe")
print("123 Main Street")
print("Memphis, TN 38104")
```

Variables

- <u>Variable</u>: name that represents a value stored in the computer memory
 - Used to access and manipulate data stored in memory
 - A variable references the value it represents
- <u>Assignment statement</u>: used to create a variable and make it reference data
 - General format is variable = expression
 - Example: age = 29
 - Assignment operator: the equal sign (=)



More on Variables

- In assignment statement, variable receiving value must be on **left** side
- A variable can be passed as an argument to a function
 - Variable name should not be enclosed in quote marks
- You can only use a variable if a value is assigned to it



Variable Naming Rules

- Rules for naming variables in Python:
 - Variable name cannot be a Python key word
 - Variable name cannot contain spaces
 - First character must be a letter or an underscore
 - After first character may use letters, digits, or underscores
 - Variable names are case sensitive
- Variable name should reflect its use



Displaying Multiple Items with the print Function

- Python allows one to display multiple items with a single call to print
 - Items are separated by commas when passed as arguments
 - Arguments displayed in the order they are passed to the function
 - Items are automatically separated by a space when displayed on screen
- · Example:

```
>>> dogName = "May"
>>> print("My dog's name is", dogName)
My dog's name is May
```

Rhodes College

Numeric Data Types, Literals, and the str Data Type

- <u>Data types</u>: categorize value in memory
 - e.g., int for integer, float for real number, str used for storing strings in memory
- Numeric literal: number written in a program
 - No decimal point considered int, otherwise, considered float
- Some operations behave differently depending on data type
- Example:

```
>>> a = 5
>>> b = 7
>>> print(a + b) >>> print(a+b)
```



Rhodes College

Variable Reassignment

- Variables can reference different values while program is running
- Garbage collection: removal of values that are no longer referenced by variables
 - Carried out by Python interpreter
- A variable can refer to item of any type
 - Variable that has been assigned to one type can be reassigned to another type

Reassigning a Variable to a Different Type

- A variable in Python can refer to items of any type
 >> x = 90
 - >>> x = "Take me to your leader"
- If you're using the same variable name for different uses, Python will assume you mean the most recent use



Next Time

- Math operations & Input from the keyboard
- Complete 1st zyBooks Assignment
 - Information on course website

