

COMP 141 Using Loops to Read Files Rhodes College



Using Loops to Read Files

- Files typically used to hold large amounts of data
 - Loop typically involved in reading from and writing to a file
- Often the number of items stored in file is unknown
 - The readline method uses an empty string as a sentinel when end of file is reached
 - Can write a while loop with the condition while line != ''



```
Program 7.9 (read_valex.pv)

1  # This program reads all of the values in
2  # the sales.txt file.
3  # Open the sales.txt file for reading.
4  def main();
5  # Open the sales.txt file for reading.
5  sales_tile = open(*sales.txt', 'r')

8  # Bead the first lime from the file, but
9  # don't convert to a number yet. We still
10  # need to test for an empty matring.
11  | lime = maine_file.readine()
13  # As long as an empty string is not returned
14  # from reading_continue processing.
15  while lise !- '';
16  # Convert line to a float.
16  | someout line to a float.
17  | someout - float(line)
18  | # Format and sales_tile.readine()
19  | # Read the next line.
20  | print(format(amount, 'ze'))
21  | # Read the next line.
22  | # Call the main function.
23  | # Close the file.
24  | # Close the file.
25  | # Call the main function.
26  | # Call the main function.
27  | # Call the main function.
28  | # Call the main function.
29  | # Call the main function.
2000.00
2000.00
2000.00
2000.00
2000.00
2000.00
```

Using Python's for Loop to Read Lines

- Python allows programmer to write a for loop that automatically reads lines in a file and stops when end of file is reached

 - The loop iterates once over each line in the file

6

Step 2: Loop over the file

You only have access to one line of the file at a time.

Step 2: Loop over the file

file = open("filename.txt", "r")
for line in file:

line can be any string variable you want. This variable will store each line of the file as it is read

Step 3: Process each line

• Do whatever you need to do with the string variable (usually called line).

```
file = open("filename.txt", "r")
for line in file:
    print(line)
```

Step 3: Process each line

 Usually a good idea to "strip" the newline character from the line before processing:

```
file = open("filename.txt", "r")
for line in file:
   line = line.rstrip()
   print(line)
```

Step 4: Close the file

• After you are done reading from the file, you should close the file:

```
file = open("filename.txt", "r")
for line in file:
   line = line.rstrip()
   print(line)
file.close()
```

Complete file-reading loop

• Use this as a template for file reading:

```
file = open("filename.txt", "r")
for line in file:
   line = line.rstrip()
   [process a line]
file.close()
```

Good Practice Tip

- When you are first reading from a file, you should print out each line as you get it so that you can see what is going on.
- When trying to debug your code, it's a good idea to add print statements so that you can understand what your program is doing at various steps.

Practice

Open your randomNums.txt file that you created last class and read in

- 1. Output the sum and average of the numbers in your file.
- 2. Calculate the consecutive differences between numbers in the file.
- **3. Challenge**: edit your program to print out the smallest and largest values in the file.
 - If you need a randomNums.txt file, I put mine in my Box.com code directory.
 - Remember that the randomNums.txt file and your Python file need to reside in the same folder!

- Problem that re-occurs often in CS:
- Finding the largest item in a set of things where you can only look at each thing once.



- Pseudocode for finding the largest number in a collection of numbers:
- largest = [smallest possible number that you could ever see]
- look at each number once:
 if the current number > largest, then
 largest = current number
- after this loop, <code>largest</code> will have the largest number in it!